



中国认可
国际互认
检测
TESTING
CNAS L5016

第1页, 共10页

检验报告

Test Report



样品名称: 牛皮革
Sample Description: _____

规格/型号: AP16
Size/model: _____

商标: -----
Trademark: _____

委托单位: 佛山市佳进时代皮革有限公司
Applicant: _____

检验类别: 委托检验
Test Category: _____

报告日期: 2024年6月3日
Report date: _____

广东顺德创科检测技术股份有限公司
Guang Dong Shunde Chuangke Testing Technology Co., Ltd.





№:CKJC240529EN02

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第2页, 共10页

委托单位 /Applicant	佛山市佳进时代皮革有限公司		商标 /Trademark	-----	
委托地址 /Address	佛山市顺德区龙江镇龙江居委会325国道龙江段102号之二亚洲国际家具材料交易中心B6-80 (住所申报)		样品等级 /Sample Grade	-----	
生产单位 /Manufacturer	-----		生产日期 /Manufactured Date	-----	
样品名称 /Sample Description	牛皮革	规格、型号 /Size&Model	AP16		
以上信息及样品由客户提供及确认, 创科不承担证实客户提供信息的准确性、适当性和 (或) 完整性的责任。					
样品数量 /Sample Quantity	4块	受理单号 /Case No. #	240529EN02	检验类别 /Test Category	委托检验
样品特征和状态 /Sample Character and State	样品外观质量无明显质量缺陷				
收样日期 /Received Date	2024年5月29日	检验日期 /Tested Date	2024年5月29日 至 2024年6月3日		
检验依据/Ref. Documents for the Test	GB/T 16799-2018 《家具用皮革》 HJ 507-2009 《环境标志产品技术要求 皮革和合成革》				
判定依据/Ref. Documents for the Judgment	GB/T 16799-2018 《家具用皮革》 HJ 507-2009 《环境标志产品技术要求 皮革和合成革》B类				
检验结论 (Test Conclusion) :					
结果见附页。					
批准: 王彬 Approved by 批准日期: 2024年6月3日 Approved Date					
备注/Remarks	-----				



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第3页, 共10页

一、摩擦色牢度

标准依据: GB/T 16799-2018, 按QB/T 2537-2001 光面革测试头质量: 1000g; 绒面革测试头质量: 500g

检 验 项 目	要 求				单位	检测 结果	判定
	H≤25μm (含绒面革)		H>25μm				
干擦	50次	≥4	500次	≥4	级	沾色：4-5 变色：4-5	合格
湿擦	20次	≥3	250次	≥3/4	级	沾色：4-5 变色：4-5	合格
碱性汗液	20次	≥3	80次	≥3/4	级	沾色：4-5 变色：4-5	合格

注解: 试样状态为干试样; 试样H(涂层厚度)≤25μm; 毛毡种类: 白色。

二、涂层粘着牢度

标准依据: GB/T 16799-2018, 按GB/T 4689.20-1996

检 验 项 目	要 求		单位	检测 结果
	H≤25μm (含绒面革)	H>25μm		
涂层粘着牢度	---	≥2.5	N/10mm	4.2

注解: 试样状态为干试样; 试样H(涂层厚度)≤25μm。

三、耐折牢度

标准依据: GB/T 16799-2018, 按QB/T 2714-2018 采用耐折试验机50000次试验

检 验 项 目	要 求		单位	检测 结果
	H≤25μm (含绒面革)	H>25μm		
耐折牢度(50000次)	---	无裂纹	---	无裂纹

注解: 试样状态为干试样; 试样H(涂层厚度)≤25μm。



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检 验 报 告 (Test Report)

第4页, 共10页

四、pH&稀释差

标准依据: GB/T 16799-2018, 按QB/T 2724-2018 采用玻璃电极pH计进行分析

检 验 项 目		要 求	单 位	检测 结果	判定
pH&稀释差	pH	≥ 3.2	---	4.35	合格
	稀释差	≤ 0.7	---	---	---

注解: 当pH值 < 4时, 检验稀释差。

五、耐磨性

标准依据: GB/T 16799-2018, 按QB/T 2726-2005, CS-10, 500g, 500r

检 验 项 目	要 求		单 位	检测 结果
	H $\leq 25\mu\text{m}$ (含绒面革)	H $> 25\mu\text{m}$		
耐磨性	---	无明显损伤、剥落	---	无明显损伤、剥落

注解: 试样状态为干试样; 试样H(涂层厚度) $\leq 25\mu\text{m}$ 。

六、气 味

标准依据: GB/T 16799-2018, 按QB/T 2725-2005

检 验 项 目	要 求	单 位	检测 结果	判定
气 味	≤ 3	级	湿态: 2 干态: 2	合格

注解: 气味分级说明:

1级: 没有引人注意的气味; 2级: 稍有气味, 但没引人注意; 3级: 气味明显, 但不令人讨厌;
4级: 强烈的、讨厌的气味; 5级: 非常强烈的讨厌气味。

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)
中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检 验 报 告 (Test Report)

第5页, 共10页

七、撕裂力

标准依据: GB/T 16799-2018, 按QB/T 4198-2011

检 验 项 目	要 求	单 位	检 测 结 果	判 定
撕裂力	≥ 20	N	A: 57.0 B: 78.7 AB: 70.0	合格

注解: 1) 单边撕裂力;

2) A: 试件长边平行于背脊线的试样的平均撕裂力、B: 试件长边垂直于背脊线的试样的平均撕裂力、AB为试件平均撕裂力, 即A, B算术平均值;

3) 送检试样无法识别背脊线时此处试样长边方向默认与背脊线方向平行一致。

八、游离甲醛

标准依据: GB/T 16799-2018, 按GB/T 19941.2-2019 采用紫外分光光度法进行分析

检 验 项 目	要 求	单 位	检 测 结 果	判 定
游离甲醛	≤ 75	mg/kg	未检出	合格

注解: 方法检出限为20mg/kg, 当测试结果小于检出限时, 检验报告“未检出”。

九、禁用偶氮染料

标准依据: GB/T 16799-2018, 按GB/T 19942-2019 采用气相色谱 (GC-MS) 法进行分析

检 验 项 目	要 求	单 位	检 测 结 果	判 定
禁用偶氮染料	≤ 30	mg/kg	未检出 (详见附录A)	合格

注解: 方法检出限为30mg/kg, 当测试结果小于检出限时, 检验报告“未检出”。

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检 验 报 告 (Test Report)

第6页, 共10页

十、挥发性有机物 (VOC)

标准依据: GB/T 16799-2018, 按QB/T 5249-2018 采用气相色谱 (GC-FID) 法进行分析;

检 验 项 目	要 求	单 位	检测 结果	判定
挥发性有机物 (VOC)	≤ 150	mg/kg	未检出	合格

注解: 方法检出限为10mg/kg, 当测试结果小于检出限时, 检验报告“未检出”。

十一、五氯苯酚 (PCP)

标准依据: HJ 507-2009, 按GB/T 22808-2008, 气相色谱 (GC-MSD) 进行分析

检 验 项 目	要 求			单 位	检测 结果	判定
	A类	B类	C类			
五氯苯酚 (PCP)	≤ 0.05	≤ 0.5		mg/kg	未检出	合格

注解: 方法检出限为0.1mg/kg, 当测试结果小于检出限时, 检验报告“未检出”。

十二、可萃取的重金属

标准依据: HJ 507-2009, 按GB/T 22807-2019分光光度法&GB/T 22930-2008电感耦合等离子体发射光 (ICP-AES) 法进行分析

检 验 项 目		要 求			单位	检测 结果	判定
		A类	B类	C类			
可 萃 取 的 重 金 属	六价铬 (Cr ⁶⁺)	≤5.0			mg/kg	未检出	合格
	镉(Cd)	≤0.1				未检出	合格
	铅(Pb)	≤0.2	≤0.8			未检出	合格

注解: 方法检出限: Cr^{6+} : 3mg/kg、Cd: 0.04mg/kg、Pb: 0.11mg/kg, 当测试结果小于检出限时, 检验报告“未检出”。

以下空白, 转下页



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)
中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

附录A: 致癌芳香胺名称

第7页, 共10页

测试方法: GB/T 19942-2019

致癌芳香胺名称	化学文摘编号	标准要求	检测结果
1 4-氨基联苯 (4-aminobiphenyl)	92-67-1	≤ 30.0mg/kg	未检出
2 联苯胺 (benzidine)	92-87-5	≤ 30.0mg/kg	未检出
3 4-氯邻甲苯胺 (4-chloro-o-toluidine)	95-69-2	≤ 30.0mg/kg	未检出
4 2-萘胺 (2-naphthylamine)	91-59-8	≤ 30.0mg/kg	未检出
5a 邻氨基偶氮甲苯 (2-aminoazotoluene)	97-56-3	≤ 30.0mg/kg	未检出
6 ^a 2-氨基-4-硝基甲苯 (2-amino-4-nitrotoluene)	99-55-8	≤ 30.0mg/kg	未检出
7 对氯苯胺 (p-chloroaniline)	106-47-8	≤ 30.0mg/kg	未检出
8 2,4-二氨基苯甲醚 (2,4-diaminoanisole)	615-05-4	≤ 30.0mg/kg	未检出
9 4,4'-二氨基二苯甲烷 (4,4'-diaminodiphenylmethane)	101-77-9	≤ 30.0mg/kg	未检出
10 3,3'-二氯联苯胺 (3,3'-dichlorobenzidine)	91-94-1	≤ 30.0mg/kg	未检出
11 3,3'-二甲氧基联苯胺 (3,3'-dimethoxybenzidine)	119-90-4	≤ 30.0mg/kg	未检出
12 3,3'-二甲基联苯胺 (3,3'-dimethylbenzidine)	119-93-7	≤ 30.0mg/kg	未检出
13 3,3'-二甲基-4,4'-二氨基二苯甲烷 (3,3'-dimethyl-4,4'-diaminodiphenylmethane)	838-88-0	≤ 30.0mg/kg	未检出
14 3-氨基对甲苯甲醚 (p-克利酞) (p-cresidine)	120-71-8	≤ 30.0mg/kg	未检出
15 4,4'-次甲基-双-(2-氯苯胺) (4,4'-methylene-bis-(2-chloroaniline))	101-14-4	≤ 30.0mg/kg	未检出
16 4,4'-二氨基二苯醚 (4,4'-oxydianiline)	101-80-4	≤ 30.0mg/kg	未检出
17 4,4'-二氨基二苯硫醚 (4,4'-thiodianiline)	139-65-1	≤ 30.0mg/kg	未检出
18 邻甲苯胺 (o-toluidine)	95-53-4	≤ 30.0mg/kg	未检出
19 2,4-二氨基甲苯 (2,4-toluyldiamine)	95-80-7	≤ 30.0mg/kg	未检出
20 2,4,5-三甲基苯胺 (2,4,5-trimethylaniline)	137-17-7	≤ 30.0mg/kg	未检出
21 邻甲氧基苯胺 (邻氨基苯甲醚) (2-anisidine)	90-04-0	≤ 30.0mg/kg	未检出
22 ^b 4-氨基偶氮苯 (4-aminoazobenzene)	60-09-3	≤ 30.0mg/kg	未检出
23 2,4-二甲基苯胺 (2,4-xylylidine)	95-68-1	≤ 30.0mg/kg	未检出
24 2,6-二甲基苯胺 (2,6-xylylidine)	87-62-7	≤ 30.0mg/kg	未检出

注解: 1. 方法检出限为30mg/kg, 当测试结果小于30mg/kg时, 检验报告“未检出”;

2. ^a 经本方法检测, 邻氨基偶氮甲苯(序号5, CAS号: 97-56-3) 和2-氨基-4-硝基甲苯(序号6, CAS号: 99-55-8)进一步分解为邻甲苯胺(序号18, CAS号: 95-53-4)和2,4-二氨基甲苯(序号19, CAS号: 95-80-7);3. ^b 4-氨基偶氮苯(序号22, CAS号: 60-09-3), 经本方法检测可分解为苯胺和/或1,4-苯二胺, 如检测到苯胺和/或1,4-苯二胺, 应重新按 GB/T 33392 进行检测。

4. 如果 4-氨基联苯和 (或) 2-萘胺的含量超过30mg/kg, 且没有其他的证据, 以现有的科学知识, 尚不能断定使用了禁用偶氮染料。

The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com



广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检验报告 (Test Report)

第8页, 共10页



-----测试样品图片-----

备注
Remarks

单位、检测结果及判定栏中“-----”代表“不适用”。



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一(住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com



№:CKJC240529EN02

广东顺德创科检测技术股份有限公司

Guang Dong Shunde Chuangke Testing Technology Co., Ltd.

检 验 报 告 (Test Report)

第9页, 共10页

委托方地址	佛山市顺德区龙江镇龙江居委会325国道龙江段102号之二亚洲国际家具材料交易中心B6-80 (住所申报)
试验地址 (如与本实验室地址不同)	-----
已检样品描述	-----
检验程序的说明	-----
意见与解释	-----
采用非标准方法的描述	-----
偏离补充另外情况	-----
检验结果判定原则	单件产品的被检项目全部合格, 则该件产品判定为合格, 否则为不合格品。
测试环境及状态	-----
分包项目及分包方	-----
备注	-----



The Organisation is responsible for the results of the received sample only The Test Report is invalid without authorised person's signatures. Copy of the test report (except copy of the whole report) is not allowed without written approval. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. The Test Report is invalid if scribbled or altered. If you dissatisfied or disagreed with the Test Conclusion, please file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted. Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result. No financial liability with respect to the report shall attach to our laboratory or to any of our representatives.

7th Floor, 2nd Floor, and One of 3rd Floor Area C, No. 15 Shalong Road, Xiantang Village Committee, Longjiang Town, Shunde District, Foshan City, Guangdong Province, China (Residence declaration)

中国·广东·佛山市顺德区龙江镇仙塘村委会沙龙路15号7楼、2楼、3楼C区之一 (住所申报) 邮编: 528318

Tel: (86-757)29266986 (86-757)23870361 www.ck-jc.com

注 意 事 项

Remark

第10页, 共10页

1、报告无“检验专用章”或检验单位公章无效。

The Test Report is invalid without authorised person's signatures.

2、未经书面批准，不得复制（全文复制除外）检测报告。

Copy of the test report (except copy of the whole report) is not allowed without written approval.

3、报告无批准人签章无效。

The Test Report is invalid without the signature of the approver.

4、报告涂改无效。

The Test Report is invalid if scribbled or altered.

5、对检验报告若有异议，应于收到报告之日起十五日内提出，逾期不予受理。

If you dissatisfied or disagreed with the Test Conclusion, pleased file an objection in Letter Form within 15 working days after the day the Test Report has received. Any late submission will not be accepted.

6、委托检验结果仅对来样负责。

The Organisation is responsible for the results of the received sample only.

7、未经检验机构同意，委托人不得擅自使用检验结果进行不当宣传。

Without the authorization of the testing institute. The entrusting party is not allowed to publicize the test result.

8、“…”项目未在CNAS认可范围。未加盖CMA资质章报告所出具的检测数据、结果，仅限于委托方内部质量控制，不具有社会证明作用。

The test items with “…” are not included in the CNAS qualification scope. The test data and results issued by the Test Report without CMA qualification seal are limited to the internal quality control of the client and do not have proof function to society.

